

## Capital Improvement Program Project: SW\_17\_007

Storm Water

\$335,000

	Description						
Status:	Funded	Original Cost Year:	2017				
		Projected Cost:	\$335,0				
Location:		Projected Cost Year:	2022				
	Carter Creek Pkwy: From Burton Creek Tributary 8 to West View Street	CIP Ranking:	30				
		Type / Source:	Storm				
		Council District:	4				
Project Name:	Carter Creek Pkwy Drainage Improvements	CIP Project:	TBD				

This projects replaces existing 15" and 18" storm sewers with 18" and 24" storm sewers to increase the capacity of the existing system.

## **Justification**

Currently stormwater accumulates on Carter Creek at the intersection of Westview St. The existing stormdrain system is inadequate to carry the flows to the creek along Carter Creek, so excess flows leave the ROW and are conveyed overland to the creek across private property. Complaints have been received from the adjacent property owners.

			Funding				
Type	<u>Original</u>	<u>Source</u>	<u>2018</u>	<u>2019</u>	<u>2020</u>	<u>2021</u>	<u>2022</u>
Drainage	\$55,000	Bonds	\$0	\$0	\$0	\$0	\$67,000
Design/Survey	\$55,000		\$0	\$0	\$0	\$0	\$67,000
Drainage	\$220,000	Bonds	\$0	\$0	\$0	\$0	\$268,000
Const/ROW	\$220,000		\$0	\$0	\$0	\$0	\$268,000
Total	\$275,000		\$0	\$0	\$0	\$0	\$335,000

\$0

tal	\$ <b>∠</b> 75,000		<b>\$</b> U	<b>Φ</b> 0	<b>پ</b> 0	<b>۵</b> 0	<b>\$335,000</b>	200
				ц				A Part
		Funding	g Source S	Summary				
Source	Original		2018	2019	2020	2021	2022	
000100	ongina							
ds	\$275,000		\$0	\$0	\$0	\$0	\$335,000	


\$0

\$0

\$335,000

\$0







Bonds

Total

\$275,000