

UTILITY DEMAND

WATER DEMAND

AVERAGE	18.5 GPM
MAXIMUM (PEAK)	74 GPM

2" DOMESTIC WATER METER - 2.5" WATER SERVICE

SANITARY SEWER DEMAND

AVERAGE	11 GPM
MAXIMUM (PEAK)	44 GPM

6" SANITARY SEWER LINE
@ 1.04 % MIN. SLOPE

FIXTURE UNITS = 102
PIPE SLOPE OK

PARKING ANALYSIS

REQUIRED PARKING

12,177 SF OF AUTOMOBILE SALES ENCLOSED SPACE
1 SPACE PER 400 SF

30 SPACES REQUIRED

15,640 SF OF AUTO REPAIR, GARAGE OR SHOP
1 SPACE PER 200 SF

78 SPACES REQUIRED

15,117 SF OF AUTOMOBILE SALES OUTSIDE DISPLAY AREA
1 SPACE PER 2000 SF

8 SPACES REQUIRED

TOTAL REQUIRED: 116 SPACES

EXISTING AND PHASE I PARKING

57 PARKING SPACES

4 ACCESSIBLE PARKING SPACES

20 QUEUING/SERVICE SPACES


82 SPACES PROVIDED

84 OUTDOOR DISPLAY




165 TOTAL SPACES PROVIDED

- GENERAL NOTES:**
- ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE LATEST CITY OF BRYAN/COLLEGE STATION STANDARD SPECIFICATIONS AND DETAILS FOR WATER, SEWER, STREETS, DRAINAGE. ALL CONSTRUCTION SHALL BE COORDINATED WITH THE CITY ENGINEER'S OFFICE.
 - ALL UTILITY LINES (WATER, GAS, SANITARY SEWER, STORM SEWER, ETC.) SHOWN ARE TAKEN FROM BEST AVAILABLE RECORD INFORMATION BASED ON CONSTRUCTION UTILITY MAP DOCUMENTS OBTAINED FROM CITY & INDEPENDENT AGENCIES AND/OR ABOVE GROUND FIELD EVIDENCE. SHOWN POSITIONS MAY NOT REPRESENT AS-BUILT CONDITIONS.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE EXACT LOCATION OF ALL EXISTING UNDERGROUND UTILITIES. NOTIFICATION OF THE UTILITY COMPANIES 48 HOURS IN ADVANCE OF CONSTRUCTION IS REQUIRED.
DIG TEST: (800) 344-8377
ATMOS ENERGY: (979) 774-2506
SUDGEN LINK COMMUNICATIONS: (979) 595-2429
FRONTIER COMMUNICATIONS: (979) 821-4783
WATER/SEWER CITY OF BRYAN: (979) 209-5900
BTU: (979) 821-5700
CITY OF BRYAN: (979) 209-5900
 - THE CONTRACTOR SHALL SETUP A PRE-CONSTRUCTION MEETING WITH BTU PRIOR TO THE START OF ELECTRICAL INFRASTRUCTURE CONSTRUCTION.
 - THE CONSTRUCTION SHALL COMPLY WITH OSHA STANDARD 29 CFR PART 1926 SUBPART P FOR TRENCH SAFETY REQUIREMENTS.
 - BUILDING SETBACK SHALL BE IN ACCORDANCE WITH THE CITY OF BRYAN CODE OF ORDINANCES.
 - PROPOSED SIGNS SHALL BE PERMITTED SEPARATELY IN ACCORDANCE WITH THE SIGN ORDINANCE.
 - IF IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO USE WHATEVER MEANS NECESSARY TO MINIMIZE EROSION AND PREVENT SEDIMENT FROM LEAVING THE PROJECT SITE. THIS INCLUDES THE INSTALLATION OF A CONSTRUCTION EXIT AND SILT FENCE AS NECESSARY.
 - THE CONTRACTOR IS REQUIRED TO MAINTAIN THE TYPES GENERAL PERMIT NO. TXR 150000 FOR CONSTRUCTION OF THE PROJECT.
 - ALL AREAS WHERE EXISTING VEGETATION AND GRASS COVER HAVE BEEN DISTURBED BY CONSTRUCTION SHALL BE ADEQUATELY BLOCK SODED OR HYDROMULCHED, AND WATERED UNTIL GROWTH IS ESTABLISHED. IN DEVELOPED AREAS WHERE GRASS IS PRESENT, BLOCK SOD WILL BE REQUIRED. BARE AREAS SHALL BE SEEDED OR SODED WITHIN 14 CALENDAR DAYS OF LAST DISTURBANCE.
 - DRAINAGE INFORMATION AND DETAILS WILL BE PROVIDED ON THE DRAINAGE PLAN AND DRAINAGE REPORT.
 - LANDSCAPING AND IRRIGATION DESIGN & ANALYSIS WILL BE PROVIDED ON THE LANDSCAPE & IRRIGATION PLANS. THE IRRIGATION SYSTEM MUST BE APPROVED AND INSTALLED PRIOR TO CERTIFICATE OF OCCUPANCY.
 - ALL RADI AND DISTANCES ARE MEASURED TO THE BACK OF CURB UNLESS OTHERWISE NOTED.
 - ALL PAYMENT SHALL BE PER TYPICAL PAYMENT SECTION. REFER TO PAYMENT PLAN FOR PAYMENT DETAILS.
 - DETENTION AND DRAINAGE FACILITIES SHALL BE CONSTRUCTED FIRST.
 - THE CONTRACTOR SHALL PROMPTLY NOTIFY THE ENGINEER OF ANY DISCREPANCIES IN THESE PLANS, DRAWINGS AND SPECIFICATIONS.
 - IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COMPLY WITH ALL STATE AND FEDERAL REGULATIONS REGARDING CONSTRUCTION ACTIVITIES NEAR ENERGIZED OVERHEAD POWER LINES.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES OR SERVICE LINES THAT ARE CROSSED OR EXPOSED DURING CONSTRUCTION OPERATIONS. WHERE EXISTING UTILITIES OR SERVICE LINES ARE CUT, BROKEN, OR DAMAGED, THE CONTRACTOR SHALL REPAIR OR REPLACE THE UTILITIES OR SERVICE LINE WITH THE SAME TYPE OF MATERIAL AND CONSTRUCTION OR BETTER. THIS MATERIAL AND WORK SHALL BE AT THE CONTRACTOR'S OWN EXPENSE.
 - A COPY OF THE APPROVED CONSTRUCTION PLANS MUST BE KEPT ON SITE AT ALL TIMES THROUGHOUT THE ENTIRE CONSTRUCTION OF THE PROJECT. CONTRACTOR SHALL MAINTAIN A SET OF REDLINE DRAWINGS, RECORDING AS-BUILT CONDITIONS DURING CONSTRUCTION.
 - ADJACENT PROPERTY AND RIGHT-OF-WAY DISTURBED DURING CONSTRUCTION WILL BE RETURNED TO THEIR EXISTING CONDITION OR BETTER.
 - THE CONTRACTOR SHALL NOT CREATE A DIRT NUISANCE OR SAFETY HAZARD IN ANY STREET OR DRIVEWAY.
 - ADEQUATE DRAINAGE SHALL BE MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND ANY DRAINAGE DITCH OR STRUCTURE DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO EXISTING CONDITIONS OR BETTER.
 - THE CONTRACTOR SHALL PROTECT ALL MONUMENTS, IRON PINS, AND PROPERTY CORNERS DURING CONSTRUCTION.
 - THE IRRIGATION SYSTEM WILL BE PROTECTED BY EITHER A PRESSURE VACUUM BREAKER, A REDUCED PRESSURE PRINCIPLE BACK FLOW DEVICE, OR A DOUBLE-CHECK BACK FLOW DEVICE, AN INSTALLED AS PER CITY ORDINANCE 2304.
 - ALL BACK FLOW DEVICES WILL BE INSTALLED AND TESTED UPON INSTALLATION.
 - THE CONTRACTOR MAY OBTAIN AN ELECTRONIC COPY OF THESE PLANS FOR CONSTRUCTION PURPOSES. THE ELECTRONIC FILE AND INFORMATION GENERATED BY SCHULTZ ENGINEERING, LLC (SEL) FOR THIS PROJECT IS CONSIDERED TO BE CONFIDENTIAL. WHEN ISSUED, ITS USE IS INTENDED SOLELY FOR THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED. PERMISSION IS NOT GRANTED FOR THE REPRODUCTION OR DISTRIBUTION OF THESE DOCUMENTS IN ANY FORM OR FASHION. THE RECIPIENT UNDERSTANDS THAT THIS DATA IS AUTHORIZED AS IS WITHOUT ANY WARRANTY OF PERFORMANCE, ACCURACY, OR FITNESS FOR ANY PURPOSE. THE RECIPIENT SHALL BE RESPONSIBLE FOR THE PROTECTION OF THIS DATA. THE RECIPIENT ACCEPTS FULL RESPONSIBILITY AND LIABILITY FOR ANY CONSEQUENCES ARISING OUT OF THEIR USE.
 - WHERE ELECTRIC FACILITIES ARE INSTALLED, BTU HAS THE RIGHT TO INSTALL, OPERATE, RELOCATE, CONSTRUCT, RECONSTRUCT, ADD TO, MAINTAIN, INSPECT, PATROL, ENFORCE, REPAIR, AND REPLACE SAID FACILITIES UPON, OVER, UNDER, AND ACROSS THE PROPERTY, INCLUDED IN THE PUE, AND THE RIGHT OF INGRESS AND EGRESS ON PROPERTY ADJACENT TO THE PUE TO ACCESS ELECTRICAL FACILITIES.




- SITE SPECIFIC NOTES:**
- THE OWNER OF THE PROPERTY IS GONCLOSS REALTY LP. PROPERTY IS ZONED COMMERCIAL (C-3).
 - THE TOTAL DISTURBED AREA FOR THIS PROJECT IS 6.32 ACRES (275470 SF).
 - THE SUBJECT TRACT DOES NOT WITHIN THE 100 YEAR FLOODPLAIN ACCORDING TO FEMA A PORTION OF THE FLOOD INSURANCE RATE MAPS FOR BRAZOS COUNTY, TEXAS AND INCORPORATED AREAS. COMMUNITY NO. 480083, PANEL NO. 0215F, MAP NO. 4804100215F, EFFECTIVE DATE: 04-02-2014.
 - THE MINIMUM REQUIRED FLOW FOR A COMMERCIAL BUILDING (BC) TYPE IB FIRE AREA OF 12,000 SF IS 2,250 GALLONS PER MINUTE. THE BUILDING IS NOT SPRINKLED. 2 FIRE HYDRANTS ARE REQUIRED.
 - PARKING LOT STRIPING OTHER THAN FIRE LANE STRIPING SHALL CONFORM TO TEXAS DEPARTMENT OF TRANSPORTATION (TxDOT) STANDARD SPECIFICATIONS FOR CONSTRUCTION OF HIGHWAYS, STREETS, AND BRIDGES: ITEM 666, TYPE 2 MARKING MATERIALS.
 - CONTOURS SHOWN ARE FROM FIELD SURVEY DATA.
 - PRIVATE PROPERTY OWNER SHALL HAVE DIRECT RESPONSIBILITY TO OPERATE, REPAIR, AND MAINTAIN THE PRIVATE SEWER AND DETENTION PONDS. THE CITY OF BRYAN SHALL NOT BE RESPONSIBLE FOR ANY OPERATION, REPAIR, OR MAINTENANCE OF THESE AREAS.
 - ALL STORM SEWER IS PRIVATE. STORM SEWER COVERS SHALL BE LABELED PRIVATE AND SHALL NOT USE THE CITY OF BRYAN LOGO ON COVERS.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE CONTAINMENT AND PROPER DISPOSAL OF ALL LIQUID AND SOLID WASTE ASSOCIATED WITH THE CONSTRUCTION OF THIS PROJECT. THE CONTRACTOR SHALL USE ALL MEANS NECESSARY TO PREVENT THE OCCURRENCE OF WIND BLOWN LITTER FROM THE PROJECT SITE.
 - THE CONTRACTOR IS REQUIRED TO PROVIDE CONTAINMENT FOR WASTE, PRIOR TO AND DURING, DEMOLITION AND CONSTRUCTION. SOLID WASTE: ROLL-OFF BOXES/METAL DUMPSTERS SHALL BE SUPPLIED BY THE CITY OR CITY PERMITTED CONTRACTORS ONLY.
 - NORMAL DOMESTIC WASTEWATER IS ANTICIPATED TO BE DISCHARGED FROM THIS DEVELOPMENT.
 - ALL BACKFLOW DEVICES MUST BE INSTALLED AND TESTED UPON INSTALLATION AS PER CITY ORDINANCE.
 - THE IRRIGATION SYSTEM MUST BE PROTECTED BY EITHER AN ATMOSPHERIC OR A PRESSURE VACUUM BREAKER OR REDUCED PRESSURE PRINCIPLE BACK FLOW DEVICE AND INSTALLED AS PER CITY ORDINANCE.
 - 8" CONCRETE PAVEMENT TO BE PROVIDED FOR DUMPSTER LOCATIONS PER CITY OF BRYAN SPECIFICATIONS. DUMPSTER CONTAINMENT AREAS SHALL BE REINFORCED WITH #5 BARS AT 12" O.C. AND THE PAD SHALL EXTEND AN ADDITIONAL 10' IN FRONT OF CONTAINMENT AREA.
 - ALL DEVICES, APPURTENANCES, APPLIANCES AND APPARATUS INTENDED TO SERVE SOME SPECIAL FUNCTION AND THAT CONNECTS TO THE WATER SUPPLY SYSTEM, SHALL BE PROVIDED WITH PROTECTION AGAINST BACKFLOW AND CONTAMINATION OF THE WATER SUPPLY.
 - FIRE HYDRANTS SHALL BE INSTALLED TO CORRECT HEIGHT. NO EXTENSIONS ALLOWED.
 - FIRE HYDRANTS SHALL HAVE STORZ QUARTER TURN PUMPER CONNECTION STORZ ADAPTERS ARE NOT ALLOWED.
 - HATCHED PARKING SPACES ARE FOR NEW CAR DISPLAY. THESE SPACES DO NOT COUNT TOWARDS THE REQUIRED PARKING SPACES.
 - ALL STORM SEWER AND DETENTION FACILITIES ARE TO BE CONSTRUCTED FIRST.



FIELD LOCATE FIBER LINES ALONG ROW. NOTIFY DESIGN ENGINEER OF ANY CONFLICTS PRIOR TO PROPOSED UTILITY WORK.



VICINITY MAP



STERLING KIA
197 N EARL RUDDER FWY

TOTAL DISTURBED AREA = 6.32 ACRES
TOTAL AREA = 6.32 ACRES
VOL. 17095, PG. 124
RICHARD CARTER SURVEY, A - 8
BRYAN, BRAZOS COUNTY, TEXAS

SCALE: 1"=40'
MARCH 2025

OWNER/DEVELOPER:
GONCLOSS REALTY LP
197 N. EARL RUDDER FWY
BRYAN, TX

SURVEYOR:
ADAM WALLACE, RPLS NO. 6132
ATM SURVEYING
P.O. BOX 10313
COLLEGE STATION, TX 77840
(979) 209-9291

ENGINEER:
SCHULTZ ENGINEERING, LLC.
PO BOX 11995
COLLEGE STATION, TX 77842
(979)764-3900

MARK	REVISION	BY	DATE
		ATM	

SURVEYED	DESIGNED	DRAWN	APPROVED	JOB NO.	DATE
	DLD	DLD	JPS	24-267	MARCH 2025

THIS DOCUMENT IS RELEASED FOR PRELIMINARY REVIEW ONLY. IT IS NOT TO BE USED FOR BIDDING OR CONSTRUCTION PURPOSES.

THIS DOCUMENT IS RELEASED FOR THE PURPOSE OF REVIEW ONLY UNDER THE AUTHORITY OF DEVEN L. DOTEN P.E., LICENSE NO. 109835, ON MARCH 26, 2025. IT IS NOT TO BE USED FOR BIDDING OR CONSTRUCTION PURPOSES.

STERLING KIA
6.32 ACRE TRACT
197 N. EARL RUDDER FREEWAY, BRYAN, TX


SITE PLAN
PHASE 1

SCALE

VERTICAL: N/A
HORIZONTAL: 1"=40'

PLOTTING SCALE: 1:1
FILE NAME: 24-267

SHEET
C1A



UTILITY DEMAND

WATER DEMAND

AVERAGE	18.5 GPM
MAXIMUM (PEAK)	74 GPM

2" DOMESTIC WATER METER

SANITARY SEWER DEMAND

AVERAGE	11 GPM
MAXIMUM (PEAK)	44 GPM

6" SANITARY SEWER LINE
 @ 1.04% MIN. SLOPE
 FIXTURE UNITS = 102
 FIXTURE UNITS ALLOWED = 700
 PIPE SLOPE OK

PARKING ANALYSIS

REQUIRED PARKING

12,177 SF OF AUTOMOBILE SALES ENCLOSED SPACE
 1 SPACE PER 400 SF
 30 SPACES REQUIRED
 15,640 SF OF AUTO REPAIR, GARAGE OR SHOP
 1 SPACE PER 200 SF
 78 SPACES REQUIRED
 14,876 SF OF AUTOMOBILE SALES OUTSIDE DISPLAY AREA
 1 SPACE PER 2000 SF
 8 SPACES REQUIRED

TOTAL REQUIRED: 116 SPACES

EXISTING PHASE I AND PHASE II PARKING

81 PARKING SPACES
 6 ACCESSIBLE PARKING SPACES
 20 QUEUING/SERVICE SPACES
 106 SPACES PROVIDED
 85 OUTDOOR DISPLAY
 191 TOTAL SPACES PROVIDED








- ### GENERAL NOTES:
- ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE LATEST CITY OF BRYAN/COLLEGE STATION STANDARD SPECIFICATIONS AND DETAILS FOR (WATER, SEWER, STREETS, DRAINAGE). ALL CONSTRUCTION SHALL BE COORDINATED WITH THE CITY ENGINEER'S OFFICE.
 - THE TOTAL DISTURBED AREA FOR THIS PROJECT IS 6.32 ACRES (275470 SF).
 - THE SUBJECT TRACT DOES NOT LIE WITHIN THE 100 YEAR FLOODPLAIN ACCORDING TO FEMA A PORTION OF THE FLOOD INSURANCE RATE MAPS FOR BRAZOS COUNTY, TEXAS AND INCORPORATED AREAS, COMMUNITY NO. 480083, PANEL NO. 0215F, MAP NO. 4804100215F, EFFECTIVE DATE: 04-02-2014.
 - THE MINIMUM REQUIRED FLOW FOR A COMMERCIAL BUILDING (B) TYPE IS 8 FIRE AREA OF 12,000 SF IS 2,250 GALLONS PER MINUTE. THE BUILDING IS NOT SPRINKLED. 2 FIRE HYDRANTS ARE REQUIRED.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE EXACT LOCATION OF ALL EXISTING UNDERGROUND UTILITIES. NOTIFICATION OF THE UTILITY COMPANIES 48 HOURS IN ADVANCE OF CONSTRUCTION IS REQUIRED.
 DIG TEST: (800) 344-8377
 AMOS ENERGY: (979) 774-2506
 SUDEN LINK COMMUNICATIONS: (979) 595-2429
 FRONTIER COMMUNICATIONS: (979) 521-4783
 WATER/SEWER CITY OF BRYAN: (979) 209-5900
 BTU: (979) 821-5700
 CITY OF BRYAN: (979) 209-5900
 - THE CONTRACTOR SHALL SETUP A PRE-CONSTRUCTION MEETING WITH BTU PRIOR TO THE START OF ELECTRICAL INFRASTRUCTURE CONSTRUCTION.
 - THE CONSTRUCTION SHALL COMPLY WITH OSHA STANDARD 29 CFR PART 1926 SUBPART P FOR TRENCH SAFETY REQUIREMENTS.
 - BUILDING SETBACK SHALL BE IN ACCORDANCE WITH THE CITY OF BRYAN CODE OF ORDINANCES.
 - PROPOSED SIGNS SHALL BE PERMITTED SEPARATELY IN ACCORDANCE WITH THE SIGN ORDINANCE.
 - IF IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO USE WHATEVER MEANS NECESSARY TO MINIMIZE EROSION AND PREVENT SEDIMENT FROM LEAVING THE PROJECT SITE. THIS INCLUDES THE INSTALLATION OF A CONSTRUCTION EIT AND SILT FENCE AS NECESSARY.
 - THE CONTRACTOR IS REQUIRED TO MAINTAIN THE TYPES GENERAL PERMIT NO. TXR 150000 THROUGHOUT THE CONSTRUCTION SITE.
 - ALL AREAS WHERE EXISTING VEGETATION AND GRASS COVER HAVE BEEN DISTURBED BY CONSTRUCTION SHALL BE ADEQUATELY BLOCK SODED OR HYDROMULCHED, AND WATERED UNTIL GROWTH IS ESTABLISHED. IN DEVELOPED AREAS WHERE GRASS IS PRESENT, BLOCK SOD WILL BE REQUIRED. BARE AREAS SHALL BE SEEDED OR SODED WITHIN 14 CALENDAR DAYS OF LAST DISTURBANCE.
 - DRAINAGE INFORMATION AND DETAILS WILL BE PROVIDED ON THE DRAINAGE PLAN AND DRAINAGE REPORTING.
 - LANDSCAPING AND IRRIGATION DESIGN & ANALYSIS WILL BE PROVIDED ON THE LANDSCAPE & IRRIGATION PLAN. THE IRRIGATION SYSTEM MUST BE APPROVED AND INSTALLED PRIOR TO CERTIFICATE OF OCCUPANCY.
 - ALL RADI AND DISTANCES ARE MEASURED TO THE BACK OF CURB UNLESS OTHERWISE NOTED.
 - ALL PAYMENT SHALL BE PER TYPICAL PAYMENT SECTION. REFER TO PAYMENT PLAN FOR PAYMENT DETAILS.
 - DETONATION AND DRAINAGE FACILITIES SHALL BE CONSTRUCTED FIRST.
 - THE CONTRACTOR SHALL PROMPTLY NOTIFY THE ENGINEER OF ANY DISCREPANCIES IN THESE PLANS, DRAWINGS AND SPECIFICATIONS.
 - IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COMPLY WITH ALL STATE AND FEDERAL REGULATIONS REGARDING CONSTRUCTION ACTIVITIES NEAR ENERGIZED OVERHEAD POWER LINES.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES OR SERVICE LINES THAT ARE CROSSED OR EXPOSED DURING CONSTRUCTION OPERATIONS. WHERE EXISTING UTILITIES OR SERVICE LINES ARE CUT, BROKEN, OR DAMAGED, THE CONTRACTOR SHALL REPAIR OR REPLACE THE UTILITIES OR SERVICE LINE WITH THE SAME TYPE OF MATERIAL AND CONSTRUCTION OR BETTER. THIS MATERIAL AND WORK SHALL BE AT THE CONTRACTOR'S OWN EXPENSE.
 - A COPY OF THE APPROVED CONSTRUCTION PLANS MUST BE KEPT ON SITE AT ALL TIMES THROUGHOUT THE ENTIRE CONSTRUCTION OF THE PROJECT. CONTRACTOR SHALL MAINTAIN A SET OF REDLINE DRAWINGS, RECORDING AS-BUILT CONDITIONS DURING CONSTRUCTION.
 - ADJACENT PROPERTY AND RIGHT-OF-WAY DISTURBED DURING CONSTRUCTION WILL BE RETURNED TO THEIR EXISTING CONDITION OR BETTER.
 - THE CONTRACTOR SHALL NOT CREATE A DIRT NUISANCE OR SAFETY HAZARD IN ANY STREET OR DRIVEWAY.
 - ADEQUATE DRAINAGE SHALL BE MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND ANY DRAINAGE DITCH OR STRUCTURE DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO EXISTING CONDITIONS OR BETTER.
 - THE CONTRACTOR SHALL PROTECT ALL MONUMENTS, IRON PINS, AND PROPERTY CORNERS DURING CONSTRUCTION.
 - THE IRRIGATION SYSTEM WILL BE PROTECTED BY EITHER A PRESSURE VACUUM BREAKER, A REDUCED PRESSURE PRINCIPLE BACK FLOW DEVICE, OR A DOUBLE-CHECK BACK FLOW DEVICE, AN INSTALLED AS PER CITY ORDINANCE 2394.
 - ALL BACK FLOW DEVICES WILL BE INSTALLED AND TESTED UPON INSTALLATION.
 - THE CONTRACTOR MAY OBTAIN AN ELECTRONIC COPY OF THESE PLANS FOR CONSTRUCTION PURPOSES. THE ELECTRONIC FILE AND INFORMATION GENERATED, BY SCHULTZ ENGINEERING, LLC (SEE NOTE #1) FOR THIS PROJECT IS CONFIDENTIAL. WHEN ISSUED, ITS USE IS INTENDED SOLELY FOR THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED. PERMISSION IS NOT GRANTED FOR THE REPRODUCTION OR DISTRIBUTION OF THESE DOCUMENTS IN ANY FORM OR FASHION. THE RECIPIENT UNDERSTANDS THAT THIS DATA IS AUTHORIZED "AS IS" WITHOUT ANY WARRANTY OF PERFORMANCE, ACCURACY, OR FREEDOM FROM ERROR, OR AS TO ANY RESULTS GENERATED THROUGHOUT ITS USE. THE RECIPIENT ALSO UNDERSTANDS AND AGREES THAT SE, UPON RECEIPT OF SUCH DATA, IS NO LONGER RESPONSIBLE FOR THEIR USE OR MODIFICATION. THE USER AND RECIPIENT OF THE ELECTRONIC DATA ACCEPTS FULL RESPONSIBILITY AND LIABILITY FOR ANY CONSEQUENCES ARISING OUT OF THEIR USE.
 - WHERE ELECTRIC FACILITIES ARE INSTALLED, BUT HAS THE RIGHT TO INSTALL, OPERATE, RELOCATE, CONSTRUCT, RECONSTRUCT, ADD TO, MAINTAIN, INSPECT, PATROL, ENLARGE, REPAIR, REMOVE, AND REPLACE SAID FACILITIES UPON, OVER, UNDER, AND ACROSS THE PROPERTY, INCLUDED IN THE PUE, AND THE RIGHT OF INGRESS AND EGRESS ON PROPERTY ADJACENT TO THE PUE TO ACCESS ELECTRICAL FACILITIES.

LEGEND

---	PROPOSED CONTOUR
---	EXISTING CONTOUR
---	PROPERTY BOUNDARY
---	ADJACENT PROPERTY BOUNDARY
---	LOT LINE (ROW)
---	PROPERTY SETBACK
---	PROPOSED PUBLIC UTILITY EASEMENT (PUE)
---	EXISTING PUBLIC UTILITY EASEMENT (PUE)
---	PROPOSED PUBLIC ACCESS EASEMENT (PAE)
---	EXISTING PUBLIC ACCESS EASEMENT (PAE)
---	PROPOSED PRIVATE ACCESS EASEMENT (PAE)
---	EXISTING PRIVATE ACCESS EASEMENT (PAE)
---	PROPOSED PRIVATE DRAINAGE EASEMENT (PDE)
---	EXISTING PRIVATE DRAINAGE EASEMENT (PDE)
---	PROPOSED PRIVATE DRAINAGE EASEMENT (PDE)
---	EXISTING PRIVATE DRAINAGE EASEMENT (PDE)
---	LIMITS OF DISTURBANCE
---	FIRE LINE
---	PROPOSED CURB AND GUTTER
---	EXISTING CURB AND GUTTER
---	FLOW ARROWS
---	STORM PIPE
---	EXISTING STORM PIPE
---	PROPOSED WATER SERVICE, SIZE NOTED
---	EXISTING WATER SERVICE, SIZE NOTED
---	PROPOSED WATERLINE, SIZE NOTED
---	EXISTING WATERLINE, SIZE NOTED
---	PROPOSED SANITARY SEWER LINE, SIZE NOTED
---	EXISTING SANITARY SEWER SERVICE, SIZE NOTED
---	PROPOSED GAS LINE, SIZE NOTED
---	EXISTING GAS LINE, SIZE NOTED
---	PROPOSED SANITARY SEWER LINE, SIZE NOTED
---	EXISTING SANITARY SEWER LINE, SIZE NOTED
---	PROPOSED UNDERGROUND ELECTRIC LINE
---	EXISTING UNDERGROUND ELECTRIC LINE
---	EXISTING OVERHEAD ELECTRIC LINE

FIELD LOCATE FIBER LINES ALONG ROW. NOTIFY DESIGN ENGINEER OF ANY CONFLICTS PRIOR TO PROPOSED UTILITY WORK.

VICINITY MAP



STERLING KIA
 197 N EARL RUDDER FWY

TOTAL DISTURBED AREA = 6.32 ACRES
 TOTAL AREA = 6.32 ACRES
 VOL. 17095, PG. 124
 RICHARD CARTER SURVEY, A-8
 BRYAN, BRAZOS COUNTY, TEXAS

SCALE: 1"=40'
 OWNER/DEVELOPER:
 GONCLOSS REALTY LP
 1506 ANDOVER CT
 COLLEGE STATION, TX 77845

MARCH 2025
 SURVEYOR:
 ADAM WALLACE, RPLS NO. 6132
 ATM SURVEYING
 P.O. BOX 10313
 COLLEGE STATION, TX 77840
 (979) 209-9291

ENGINEER:
 SCHULTZ ENGINEERING, LLC
 PO BOX 11995
 COLLEGE STATION, TX 77842
 (979)764-3900

MARK	REVISION	BY	DATE


SURVEYED	DESIGNED	DRAWN	APPROVED	JOB NO.	DATE
ATM	DLD	DLD	JPS	24-267	MARCH 2025

THIS DOCUMENT IS RELEASED FOR THE PURPOSE OF REVIEW ONLY UNDER THE AUTHORITY OF DENISE L. DOTTEN P.E., LICENSE NO. 109835, ON MARCH 26, 2025. IT IS NOT TO BE USED FOR BIDDING OR CONSTRUCTION PURPOSES.

STERLING KIA
 6.32 ACRE TRACT
 197 N. EARL RUDDER FREEWAY, BRYAN, TX

SITE PLAN
 PHASE 2

SCALE	SHEET
VERTICAL N/A	C1B
HORIZONTAL 1"=40'	
PLOTTING SCALE: 1:1	
FILE NAME: 24-267	



UTILITY DEMAND

WATER DEMAND

AVERAGE	18.5 GPM
MAXIMUM (PEAK)	74 GPM

2" DOMESTIC WATER METER

SANITARY SEWER DEMAND

AVERAGE	11 GPM
MAXIMUM (PEAK)	44 GPM

6" SANITARY SEWER LINE

0.104 % MIN. SLOPE

FIXTURE UNITS = 102

FIXTURE UNITS ALLOWED = 700

PIPE SLOPE OK

PARKING ANALYSIS

REQUIRED PARKING

12,177 SF OF AUTOMOBILE SALES ENCLOSED SPACE

1 SPACE PER 400 SF

30 SPACES REQUIRED

18,520 SF OF AUTO REPAIR, GARAGE OR SHOP

1 SPACE PER 200 SF

93 SPACES REQUIRED

14,876 SF OF AUTOMOBILE SALES OUTSIDE DISPLAY AREA

1 SPACE PER 2000 SF

8 SPACES REQUIRED

TOTAL REQUIRED: 131 SPACES

EXISTING PHASE I, PHASE II, AND PHASE III PARKING

128 PARKING SPACES

6 ACCESSIBLE PARKING SPACES

20 QUEUING/SERVICE SPACES

153 SPACES PROVIDED

85 OUTDOOR DISPLAY


238 TOTAL SPACES PROVIDED

- GENERAL NOTES:**
- ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE LATEST CITY OF BRYAN/COLLEGE STATION STANDARD SPECIFICATIONS AND DETAILS FOR WATER, SEWER, STREETS, DRAINAGE. ALL CONSTRUCTION SHALL BE COORDINATED WITH THE CITY ENGINEER'S OFFICE.
 - ALL UTILITY LINES (WATER, GAS, SANITARY SEWER, STORM SEWER, ETC.) SHOWN ARE TAKEN FROM BEST AVAILABLE RECORD INFORMATION BASED ON CONSTRUCTION UTILITY MAP DOCUMENTS OBTAINED FROM CITY & INDEPENDENT AGENCIES AND/OR ABOVE GROUND FIELD EVIDENCE. SHOWN POSITIONS MAY NOT REPRESENT AS-BUILT CONDITIONS.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE EXACT LOCATION OF ALL EXISTING UNDERGROUND UTILITIES. NOTIFICATION OF THE UTILITY COMPANIES 48 HOURS IN ADVANCE OF CONSTRUCTION IS REQUIRED.
 - DIG TEST: (800) 344-6377
 - AMOS ENERGY: (979) 774-2506
 - SUDEN LINK COMMUNICATIONS: (979) 595-2429
 - FRONTIER COMMUNICATIONS: (979) 521-4783
 - WATER/SEWER CITY OF BRYAN: (979) 209-5900
 - BTU: (979) 821-5700
 - CITY OF BRYAN: (979) 209-5900
 - THE CONTRACTOR SHALL SETUP A PRE-CONSTRUCTION MEETING WITH BTU PRIOR TO THE START OF ELECTRICAL INFRASTRUCTURE CONSTRUCTION.
 - THE CONSTRUCTION SHALL COMPLY WITH OSHA STANDARD 29 CFR PART 1926 SUBPART P FOR TRENCH SAFETY REQUIREMENTS.
 - BUILDING SETBACK SHALL BE IN ACCORDANCE WITH THE CITY OF BRYAN CODE OF ORDINANCES. PROPOSED SIGNS SHALL BE PERMITTED SEPARATELY IN ACCORDANCE WITH THE SIGN ORDINANCE.
 - IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO USE WHATEVER MEANS NECESSARY TO MINIMIZE EROSION AND PREVENT SEDIMENT FROM LEAVING THE PROJECT SITE. THIS INCLUDES THE INSTALLATION OF A CONSTRUCTION EXIT AND SILT FENCE AS NECESSARY.
 - THE CONTRACTOR IS REQUIRED TO MAINTAIN THE TYPES GENERAL PERMIT NO. TXR 150000 THROUGHOUT THE ENTIRE CONSTRUCTION PERIOD.
 - ALL AREAS WHERE EXISTING VEGETATION AND GRASS COVER HAVE BEEN DISTURBED BY CONSTRUCTION SHALL BE ADEQUATELY BLOCK SODED OR HYDROMULCHED, AND WATERED UNTIL GROWTH IS ESTABLISHED. AREAS WHERE GRASS IS PRESENT, BLOCK SOD WILL BE REQUIRED. BARE AREAS SHALL BE SEEDED OR SODED WITHIN 14 CALENDAR DAYS OF LAST DISTURBANCE.
 - DRAINAGE INFORMATION AND DETAILS WILL BE PROVIDED ON THE DRAINAGE PLAN AND DRAINAGE REPORT.
 - LANDSCAPING AND IRRIGATION DESIGN & ANALYSIS WILL BE PROVIDED ON THE LANDSCAPE & IRRIGATION PLAN. THE IRRIGATION SYSTEM MUST BE APPROVED AND INSTALLED PRIOR TO CERTIFICATE OF OCCUPANCY.
 - ALL RADI AND DISTANCES ARE MEASURED TO THE BACK OF CURB UNLESS OTHERWISE NOTED.
 - ALL PAYMENT SHALL BE PER TYPICAL PAYMENT SECTION. REFER TO PAYMENT PLAN FOR PAYMENT DETAILS.
 - THE CONTRACTOR SHALL PROMPTLY NOTIFY THE ENGINEER OF ANY DISCREPANCIES IN THESE PLANS, DRAWINGS AND SPECIFICATIONS.
 - IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COMPLY WITH ALL STATE AND FEDERAL REGULATIONS REGARDING CONSTRUCTION ACTIVITIES NEAR ENERGIZED OVERHEAD POWER LINES.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES OR SERVICE LINES THAT ARE CROSSED OR EXPOSED DURING CONSTRUCTION OPERATIONS. WHERE EXISTING UTILITIES OR SERVICE LINES ARE CUT, BROKEN, OR DAMAGED, THE CONTRACTOR SHALL REPAIR OR REPLACE THE UTILITIES OR SERVICE LINE WITH THE SAME TYPE OF MATERIAL AND CONSTRUCTION OR BETTER. THIS MATERIAL AND WORK SHALL BE AT THE CONTRACTOR'S OWN EXPENSE.
 - A COPY OF THE APPROVED CONSTRUCTION PLANS MUST BE KEPT ON SITE AT ALL TIMES THROUGHOUT THE CONSTRUCTION OF THE PROJECT. CONTRACTOR SHALL MAINTAIN A SET OF REDLINE DRAWINGS, RECORDING AS-BUILT CONDITIONS DURING CONSTRUCTION.
 - ADJACENT PROPERTY AND RIGHT-OF-WAY DISTURBED DURING CONSTRUCTION WILL BE RETURNED TO THEIR EXISTING CONDITION OR BETTER.
 - THE CONTRACTOR SHALL NOT CREATE A DIRT NUISANCE OR SAFETY HAZARD IN ANY STREET OR DRIVEWAY.
 - ADEQUATE DRAINAGE SHALL BE MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND ANY DRAINAGE DITCH OR STRUCTURE DISTURBED DURING CONSTRUCTION SHALL BE RESTORED TO EXISTING CONDITIONS OR BETTER.
 - THE CONTRACTOR SHALL PROTECT ALL MONUMENTS, IRON PINS, AND PROPERTY CORNERS DURING CONSTRUCTION.
 - THE IRRIGATION SYSTEM WILL BE PROTECTED BY EITHER A PRESSURE VACUUM BREAKER, A REDUCED PRESSURE PRINCIPLE BACK FLOW DEVICE, OR A DOUBLE-CHECK BACK FLOW DEVICE, AN INSTALLED AS PER CITY ORDINANCE 2394.
 - ALL BACK FLOW DEVICES WILL BE INSTALLED AND TESTED UPON INSTALLATION.
 - THE CONTRACTOR MAY OBTAIN AN ELECTRONIC COPY OF THESE PLANS FOR CONSTRUCTION PURPOSES. THE ELECTRONIC FILE AND INFORMATION GENERATED BY SCHULTZ ENGINEERING, LLC (SE) FOR THIS PROJECT IS TO BE CONFIDENTIAL. WHEN ISSUED, ITS USE IS INTENDED SOLELY FOR THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED. PERMISSION IS NOT GRANTED TO REPRODUCE OR FOR THE REPRODUCTION OF THESE DOCUMENTS IN ANY FORM OR FASHION. THE RECIPIENT UNDERSTANDS THAT THIS DATA IS AUTHORIZED "AS IS" WITHOUT ANY WARRANTY AS TO ITS PERFORMANCE, ACCURACY, OR FREEDOM FROM ERROR, OR AS TO ANY RESULTS GENERATED THROUGHOUT ITS USE. THE RECIPIENT ALSO UNDERSTANDS AND AGREES THAT SE, UPON RECEIPT OF SUCH DATA, IS NO LONGER RESPONSIBLE FOR THEIR USE OR MODIFICATION. THE USER AND RECIPIENT OF THE ELECTRONIC DATA ACCEPTS FULL RESPONSIBILITY AND LIABILITY FOR ANY CONSEQUENCES ARISING OUT OF THEIR USE.
 - WHERE ELECTRIC FACILITIES ARE INSTALLED, BTU HAS THE RIGHT TO INSTALL, OPERATE, RELOCATE, CONSTRUCT, RECONSTRUCT, ADD TO, MAINTAIN, INSPECT, PATROL, ENLARGE, REPAIR, REMOVE, AND REPLACE SAID FACILITIES UPON, OVER, UNDER, AND ACROSS THE PROPERTY, INCLUDED IN THE PUE, AND THE RIGHT TO INGRESS AND EGRESS ON PROPERTY ADJACENT TO THE PUE TO ACCESS ELECTRICAL FACILITIES.


LEGEND

---#---	PROPOSED CONTOUR
---#---	EXISTING CONTOUR
---	PROPERTY BOUNDARY
---	ADJACENT PROPERTY BOUNDARY
---	RIGHT OF WAY (ROW)
---	LOT LINE
---	PROPERTY SETBACK
---	PROPOSED PUBLIC UTILITY EASEMENT (PUE)
---	EXISTING PUBLIC UTILITY EASEMENT (PUE)
---	PROPOSED PUBLIC ACCESS EASEMENT (PAE)
---	EXISTING PUBLIC ACCESS EASEMENT (PAE)
---	PROPOSED PRIVATE ACCESS EASEMENT (P/AE)
---	EXISTING PRIVATE ACCESS EASEMENT (P/AE)
---	PROPOSED PRIVATE DRAINAGE EASEMENT (P/DE)
---	EXISTING PRIVATE DRAINAGE EASEMENT (P/DE)
---	PROPOSED PUBLIC DRAINAGE EASEMENT (P/DE)
---	EXISTING PUBLIC DRAINAGE EASEMENT (P/DE)
---	PROPOSED PRIVATE DRAINAGE EASEMENT (P/DE)
---	EXISTING PRIVATE DRAINAGE EASEMENT (P/DE)
---	LIMITS OF DISTURBANCE
---	FIRE LINE
---	PROPOSED CURB AND GUTTER
---	EXISTING CURB AND GUTTER
---	FLOW ARROWS
---	STORM PIPE
---	EXISTING STORM PIPE
---	PROPOSED WATERLINE, SIZE NOTED
---	EXISTING WATERLINE, SIZE NOTED
---	PROPOSED SANITARY SEWER LINE, SIZE NOTED
---	EXISTING SANITARY SEWER LINE, SIZE NOTED
---	PROPOSED GAS LINE, SIZE NOTED
---	EXISTING GAS LINE, SIZE NOTED
---	PROPOSED UNDERGROUND ELECTRIC LINE
---	EXISTING UNDERGROUND ELECTRIC LINE
---	EXISTING OVERHEAD ELECTRIC LINE


FIELD LOCATE FIBER LINES ALONG ROW. NOTIFY DESIGN ENGINEER OF ANY CONFLICTS PRIOR TO PROPOSED UTILITY WORK.





CONCRETE PAVING SECTION DETAIL-TYPICAL
N.T.S.




FIRE LANE STRIPING AND SIGNAGE DETAIL
N.T.S.



ADA SIGN DETAIL
N.T.S.



COMBINED CURB AND GUTTER SECTION DETAIL-TYPICAL
N.T.S.



PVC SLEEVE DETAIL
N.T.S.

STERLING KIA
197 N EARL RUDDER FWY

TOTAL DISTURBED AREA = 6.32 ACRES
TOTAL AREA = 6.32 ACRES
VOL. 17095, PG. 124
RICHARD CARTER SURVEY, A-8
BRYAN, BRAZOS COUNTY, TEXAS

SCALE: 1"=40'

MARCH 2025

OWNER/DEVELOPER:
GONCLOSS REALTY LP
1506 ANDOVER CT
COLLEGE STATION, TX 77845

SURVEYOR:
ADAM WALLACE, RPLS NO. 6132
ATM SURVEYING
P.O. BOX 10313
COLLEGE STATION, TX 77840
(979) 209-9291

ENGINEER:
SCHULTZ ENGINEERING, LLC
PO BOX 11995
COLLEGE STATION, TX 77842
(979)764-3900

MARK	REVISION	BY	DATE

SURVEYED	DESIGNED	DRAWN	APPROVED	JOB NO.	DATE
ATM	DLD	DLD	JPS	24-267	MARCH 2025

THIS DOCUMENT IS RELEASED FOR PRELIMINARY REVIEW ONLY. IT IS NOT TO BE USED FOR BIDDING OR CONSTRUCTION PURPOSES.

THIS DOCUMENT IS RELEASED FOR THE PURPOSE OF REVIEW ONLY UNDER THE AUTHORITY OF DEVEN DOTTEN P.E., LICENSE NO. 109835, ON MARCH 26, 2025. IT IS NOT TO BE USED FOR BIDDING OR CONSTRUCTION PURPOSES.

STERLING KIA
6.32 ACRE TRACT
197 N. EARL RUDDER FREEWAY, BRYAN, TX

SITE PLAN
PHASE 3

SCALE

VERTICAL: N/A


HORIZONTAL: 1"=40'

PLOTTING SCALE: 1:1

FILE NAME: 24-267

SHEET


C1C



LEGEND

---	EXISTING CONTOUR
---	PROPERTY BOUNDARY
---	ADJACENT PROPERTY BOUNDARY
---	RIGHT OF WAY
---	LOT LINE
---	EXISTING PUBLIC UTILITY EASEMENT
---	EXISTING PUBLIC ACCESS EASEMENT
---	EXISTING PRIVATE ACCESS EASEMENT
---	EXISTING PUBLIC DRAINAGE EASEMENT
---	EXISTING PRIVATE DRAINAGE EASEMENT
---	EXISTING CURB AND GUTTER
---	EXISTING STORM PIPE
---	EXISTING WATERLINE, SIZE NOTED
---	EXISTING SANITARY SEWER LINE, SIZE NOTED
---	EXISTING GAS LINE, SIZE NOTED
---	EXISTING UNDERGROUND ELECTRIC LINE
---	EXISTING OVERHEAD ELECTRIC LINE

- DEMOLITION NOTES:**
- DEMOLITION OF EXISTING STRUCTURES AND IMPROVEMENTS SHALL INCLUDE ALL WORK CONTAINED ON THESE PLANS, BUT SHALL NOT BE LIMITED TO THE ITEMS SPECIALLY IDENTIFIED. ANY MATERIALS TO BE DEMOLISHED OR CLEARED SHALL BE COMPLETELY REMOVED AND DISPOSED OF. THIS WORK WILL NOT ONLY CONSIST OF ABOVE GROUND ITEMS, BUT UNDERGROUND ELEMENTS AS WELL, INCLUDING BUT NOT LIMITED TO: TREE ROOTS, FOUNDATION SYSTEMS, OLD PIPES, ETC. THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF ANY ADDITIONAL ITEMS THAT REQUIRE DEMOLITION, NOT IDENTIFIED ON THESE PLANS, PRIOR TO REMOVAL.
 - IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO STAGE AND SEQUENCE ALL DEMOLITION WORK WITH UTILITY COMPANIES TO PROVIDE MINIMAL INTERRUPTION AND INCONVENIENCE OF UTILITY SERVICES.
 - DEMOLISHED SURPLUS MATERIAL SHALL BE LEGALLY DISPOSED OF OFF-SITE.
 - ALL PAVEMENT EDGES, BOUNDING THE CONSTRUCTION AREA & MATCHING WITH NEW CONSTRUCTION, SHALL BE NEATLY SAW CUT, UNLESS GRAVEL. FLEXIBLE PAVEMENT SHALL BE SAW CUT A MINIMUM OF 2" BEYOND ANY PROPOSED STRUCTURES.
 - THE CONTRACTOR SHALL CLEAR ALL RIGHT-OF-WAYS AND EASEMENTS CONTAINED IN THESE CONSTRUCTION DRAWINGS.
 - THE CONTRACTOR SHALL FIELD VERIFY AND LOCATE ALL EXISTING UTILITIES ON SITE PRIOR TO DEMOLITION.
 - THE CONTRACTOR SHALL PERFORM DEMOLITION ACTIVITIES AS NOTED AND SHOWN ON THESE PLANS AND AS DIRECTED BY THE OWNER/ DEVELOPER. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO OBTAIN ANY PERMITS AND PAY ANY FEES REQUIRED FOR DEMOLITION AND DISPOSAL FROM THE APPROPRIATE AUTHORITIES.
 - THE CONTRACTOR SHALL INSTALL ALL EROSION AND SEDIMENT CONTROL DEVICES, AS SHOWN, ON THE EROSION CONTROL PLAN PRIOR TO COMMENCING DEMOLITION WORK.
 - THE CONTRACTOR IS RESPONSIBLE FOR THE PROTECTION OF ALL UTILITIES THAT ARE TO REMAIN IN PLACE.
 - THE CONTRACTOR SHALL TAKE ALL PRECAUTIONS TO AVOID UNNECESSARY DAMAGE TO ANY EXISTING ROAD SURFACE.
 - ALL EXISTING ITEMS THAT ARE TO REMAIN IN PLACE WHICH ARE DAMAGED DURING CONSTRUCTION SHALL BE RESTORED TO ORIGINAL CONDITION, OR BETTER, AT THE SOLE EXPENSE OF THE CONTRACTOR.
 - SHOULD ANY EXISTING UTILITIES NOT SHOWN OR SHOWN INCORRECTLY ON THIS PLAN BE FOUND ON SITE, THE CONTRACTOR SHALL CONTACT THE DESIGN ENGINEER IMMEDIATELY TO DISCUSS ANY POSSIBLE CONFLICTS BEFORE PROCEEDING WITH ANY WORK IN THAT AREA.
 - ALL CONSTRUCTION ACTIVITIES, INCLUDING CLEARING, GRUBBING, AND GRADING SHALL BE WITHIN THE LIMITS OF DISTURBED AREA SHOWN ON THIS PLAN.



MARK	REVISION	BY	DATE

SCHULTZ Engineering, LLC
 911 Southwest Pkwy E.
 College Station, Texas 77840
 979.764.3900
 TBPE FIRM NO. 12327

THIS DOCUMENT IS RELEASED FOR PRELIMINARY REVIEW ONLY. IT IS NOT TO BE USED FOR BIDDING OR CONSTRUCTION PURPOSES.

SURVEYED	DESIGNED	DRAWN	APPROVED	JOB NO.	DATE
ATM	DLD	DLD	JPS	24-267	MARCH 2025

THIS DOCUMENT IS RELEASED FOR THE PURPOSE OF REVIEW ONLY UNDER THE AUTHORITY OF DEVEN L. DOYEN P.E., LICENSE NO. 109835, ON MARCH 26, 2025. IT IS NOT TO BE USED FOR BIDDING OR CONSTRUCTION PURPOSES.


STERLING KIA
 6.32 ACRE TRACT
 197 N. EARL RUDDER FREEWAY, BRYAN, TX

DEMOLITION PLAN
PHASE 1

SCALE

VERTICAL: N/A
 HORIZONTAL: 1"=40'
 PLOTTING SCALE: 1:1
 FILE NAME: 24-267


SHEET
C2A



LEGEND

---	EXISTING CONTOUR
---	PROPERTY BOUNDARY
---	ADJACENT PROPERTY BOUNDARY
---	RIGHT OF WAY
---	LOT LINE
---	EXISTING PUBLIC UTILITY EASEMENT
---	EXISTING PUBLIC ACCESS EASEMENT
---	EXISTING PRIVATE ACCESS EASEMENT
---	EXISTING PUBLIC DRAINAGE EASEMENT
---	EXISTING PRIVATE DRAINAGE EASEMENT
---	EXISTING CURB AND GUTTER
---	EXISTING STORM PIPE
---	EXISTING WATERLINE, SIZE NOTED
---	EXISTING SANITARY SEWER LINE, SIZE NOTED
---	EXISTING GAS LINE, SIZE NOTED
---	EXISTING UNDERGROUND ELECTRIC LINE
---	EXISTING OVERHEAD ELECTRIC LINE

- DEMOLITION NOTES:**
- DEMOLITION OF EXISTING STRUCTURES AND IMPROVEMENTS SHALL INCLUDE ALL WORK CONTAINED ON THESE PLANS, BUT SHALL NOT BE LIMITED TO THE ITEMS SPECIALLY IDENTIFIED. ANY MATERIALS TO BE DEMOLISHED OR CLEARED SHALL BE COMPLETELY REMOVED AND DISPOSED OF. THIS WORK WILL NOT ONLY CONSIST OF ABOVE GROUND ITEMS, BUT UNDERGROUND ELEMENTS AS WELL, INCLUDING BUT NOT LIMITED TO: TREE ROOTS, FOUNDATION SYSTEMS, OLD PIPES, ETC. THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF ANY ADDITIONAL ITEMS THAT REQUIRE DEMOLITION, NOT IDENTIFIED ON THESE PLANS, PRIOR TO REMOVAL.
 - IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO STAGE AND SEQUENCE ALL DEMOLITION WORK WITH UTILITY COMPANIES TO PROVIDE MINIMAL INTERRUPTION AND INCONVENIENCE OF UTILITY SERVICES.
 - DEMOLISHED SURPLUS MATERIAL SHALL BE LEGALLY DISPOSED OF OFF-SITE.
 - ALL PAVEMENT EDGES, BOUNDING THE CONSTRUCTION AREA & MATCHING WITH NEW CONSTRUCTION, SHALL BE NEATLY SAW CUT, UNLESS GRAVEL. FLEXIBLE PAVEMENT SHALL BE SAW CUT A MINIMUM OF 2" BEYOND ANY PROPOSED STRUCTURES.
 - THE CONTRACTOR SHALL CLEAR ALL RIGHT-OF-WAYS AND EASEMENTS CONTAINED IN THESE CONSTRUCTION DRAWINGS.
 - THE CONTRACTOR SHALL FIELD VERIFY AND LOCATE ALL EXISTING UTILITIES ON SITE PRIOR TO DEMOLITION.
 - THE CONTRACTOR SHALL PERFORM DEMOLITION ACTIVITIES AS NOTED AND SHOWN ON THESE PLANS AND AS DIRECTED BY THE OWNER/ DEVELOPER. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO OBTAIN ANY PERMITS AND PAY ANY FEES REQUIRED FOR DEMOLITION AND DISPOSAL FROM THE APPROPRIATE AUTHORITIES.
 - THE CONTRACTOR SHALL INSTALL ALL EROSION AND SEDIMENT CONTROL DEVICES, AS SHOWN, ON THE EROSION CONTROL PLAN PRIOR TO COMMENCING DEMOLITION WORK.
 - THE CONTRACTOR IS RESPONSIBLE FOR THE PROTECTION OF ALL UTILITIES THAT ARE TO REMAIN IN PLACE.
 - THE CONTRACTOR SHALL TAKE ALL PRECAUTIONS TO AVOID UNNECESSARY DAMAGE TO ANY EXISTING ROAD SURFACE.
 - ALL EXISTING ITEMS THAT ARE TO REMAIN IN PLACE WHICH ARE DAMAGED DURING CONSTRUCTION SHALL BE RESTORED TO ORIGINAL CONDITION, OR BETTER, AT THE SOLE EXPENSE OF THE CONTRACTOR.
 - SHOULD ANY EXISTING UTILITIES NOT SHOWN OR SHOWN INCORRECTLY ON THIS PLAN BE FOUND ON SITE, THE CONTRACTOR SHALL CONTACT THE DESIGN ENGINEER IMMEDIATELY TO DISCUSS ANY POSSIBLE CONTACTS BEFORE PROCEEDING WITH ANY WORK IN THAT AREA.
 - ALL CONSTRUCTION ACTIVITIES, INCLUDING CLEARING, GRUBBING, AND GRADING SHALL BE WITHIN THE LIMITS OF DISTURBED AREA SHOWN ON THIS PLAN.



STATE HIGHWAY 6 - NEARL RUDDER FWY
ROW VARIES - PAVEMENT VARIES

MARK	REVISION	BY	DATE

SCHULTZ Engineering, LLC
 911 Southwest Pkwy E.
 College Station, Texas 77840
 979.764.3900
 TBPE FIRM NO. 12327

THIS DOCUMENT IS RELEASED FOR PRELIMINARY REVIEW ONLY. IT IS NOT TO BE USED FOR BIDDING OR CONSTRUCTION PURPOSES.

SURVEYED	DESIGNED	DRAWN	APPROVED	JOB NO.	DATE
ATM	DLD	DLD	JPS	24-267	MARCH 2025

THIS DOCUMENT IS RELEASED FOR THE PURPOSE OF REVIEW ONLY UNDER THE AUTHORITY OF DEVEN L. DOYEN P.E., LICENSE NO. 109835, ON MARCH 26, 2025. IT IS NOT TO BE USED FOR BIDDING OR CONSTRUCTION PURPOSES.

STERLING KIA
 6.32 ACRE TRACT
 197 N. EARL RUDDER FREEWAY, BRYAN, TX

DEMOLITION PLAN
PHASE 2

SCALE

VERTICAL: N/A
 HORIZONTAL: 1"=40'
 PLOTTING SCALE: 1:1
 FILE NAME: 24-267

SHEET
C2B