



Being all that certain tract or parcel of land lying and being situated in the STEPHEN F. AUSTIN SURVEY, Abstract No. 62, in Bryan, Brazos County, Texas and being a total of 13.958 acres of land consisting of parts of the following two (2) individual tracts:

- 1) Being part of the called 47.72 acre Tract One and part of the called 4.399 acre Tract Three described in the deed from B/CS Leasing, LLC to SE Investments, LLC recorded in Volume 15803, Page 221 of the Official Public Records of Brazos County, Texas (O.P.R.B.C.),
- 2) Being all of Lots 10 through 30, Block 7, MILTON DARWIN'S SUBDIVISION No. 2 according to the Final Plat recorded in Volume 122, Page 101 of the Brazos County Deed Records (B.C.D.R.), said Lots being further described as Tract Five in the deed from B/CS Leasing, LLC to SE Investments, LLC recorded in Volume 15803, Page 221 (O.P.R.B.C.),

and being more particularly described by metes and bounds as follows:

COMMENCING: at a found 1/2—inch iron rod marking the northeast corner of the called 47.72 acre SE Investments, LLC Tract One, said iron rod also marking the northwest corner of Kinnard Avenue (based on a 50-foot width) of said MILTON DARWIN'S SUBDIVISION No. 2 and being in the southeast line of the called 0.9660 acre Gerardo Ramos tract recorded in Volume 8705, Page 276 of the Official Records of Brazos County, Texas (0.R.B.C.);

THENCE: S 14° 42' 09" E along the common line of the called 47.72 acre SE Investments, LLC Tract One and the west line of said MILTON DARWIN'S SUBDIVISION No. 2 for a distance of 413.21 feet to a 1/2-inch iron rod set for the northeast corner of this herein described tract, said iron rod also marking the southwest corner of McArthur Avenue (based on a 50-foot width) of said MILTON DARWIN'S SUBDIVISION No. 2 and the POINT OF BEGINNING;

THENCE: along the common line of this tract, the called 47.72 acre SE Investments, LLC Tract One and the west line of said MILTON DARWIN'S SUBDIVISION No. 2 for the following four (4) calls:

- 1) S 14° 42' 09" E (DEED CALL: S 14° 39' 46" E) for a distance of 305.89 feet to a found 1/2—inch iron rod marking an angle of this
- 2) S 40° 44' 27" W for a distance of 56.58 feet to a 1/2-inch iron rod set for angle,
- 3) N 68° 09′ 43" E for a distance of 83.24 feet to a 1/2-inch iron rod set for angle, and 4) S 19° 13' 00" E for a distance of 377.87 feet to a 1/2-inch iron rod set for the southeast corner of this tract, said iron rod also marking the southwest corner of Lot 31 of said MILTON DARWIN'S SUBDIVISION No. 2 and being in the north right—of—way line of Patton

THENCE: S 43° 38' 39" W along the north right-of-way line of said Patton Avenue and into the said 15-foot wide alley for a distance of 456.14 feet to a 1/2—inch iron rod set for an exterior ell corner of this tract, said iron rod also being at the approximate centerline of the

THENCE: N 46° 21' 53" W along the approximate centerline of the said 15—foot wide alley for a distance of 115.45 feet to a 1/2—inch iron

THENCE: through the said 15-foot wide alley, into the interior of the called 47.72 acre SE Investments, LLC Tract One and into the interior of the called 4.399 acre SE Investments, LLC Tract Three for the following thirty—seven (37) calls:

- 1) S 43° 38' 07" W for a distance of 91.88 feet to a 1/2—inch iron rod set for the Point of Curvature of a curve to the left,
- 2) 39.99 feet along the arc of said curve having a central angle of 91° 38' 26", a radius of 25.00 feet, a tangent of 25.73 feet and long chord bearing S 02° 11' 06" E at a distance of 35.86 feet to a 1/2-inch iron rod set for corner,
- S) S 41° 50′ 43″ W for a distance of 50.00 feet to a 1/2—inch iron rod set for an exterior corner of this tract, 4) N 48° 00' 19" W for a distance of 11.57 feet to a 1/2—inch iron rod set for an interior corner of this tract,
- 5) S 41° 58' 54" W for a distance of 105.00 feet to a 1/2—inch iron rod set for an exterior corner of this tract, 6) N 48° 00' 19" W for a distance of 260.35 feet to a 1/2-inch iron rod set for the Point of Curvature of a curve to the right,
- 17.05 feet along the arc of said curve having a central angle of 01° 51' 40", a radius of 525.00 feet, a tangent of 8.53 feet and long chord bearing S 41° 03' 03" W at a distance of 17.05 feet to a 1/2-inch iron rod set for the Point of Tangency,
-)) 39.26 feet along the arc of said curve having a central angle of 89°59'13", a radius of 25.00 feet, a tangent of 24.99 feet and long chord bearing S 03° 00' 43" E at a distance of 35.35 feet to a 1/2-inch iron rod set for corner,
- 10) S 45° 26' 58" W for a distance of 50.09 feet to a 1/2-inch iron rod set for angle, 11) S 41° 58' 54" W for a distance of 99.16 feet to a 1/2-inch iron rod set for an exterior corner of this tract,
- 12) N 50° 57' 44" W for a distance of 49.99 feet to a 1/2-inch iron rod set for angle,
- 13) N 77° 41' 44" W for a distance of 87.10 feet to a 1/2-inch iron rod set for the Point of Curvature of a curve to the right, 14) 104.44 feet along the arc of said curve having a central angle of 14° 14' 51", a radius of 420.00 feet, a tangent of 52.49 feet and
- long chord bearing N 02° 51' 45" W at a distance of 104.17 feet to a 1/2-inch iron rod set for the Point of Tangency, 15) N 85° 44' 19" W for a distance of 60.00 feet to a 1/2-inch iron rod set for the Point of Curvature of a curve to the right,
- 16) 14.02 feet along the arc of said curve having a central angle of 01° 40′ 26″, a radius of 480.00 feet, a tangent of 7.01 feet and long chord bearing N 05° 05' 54" E at a distance of 14.02 feet to a 1/2-inch iron rod set for the Point of Reverse Curvature, 17) 37.32 feet along the arc of said curve having a central angle of 85° 31' 39", a radius of 25.00 feet, a tangent of 23.12 feet and long
- chord bearing N 36° 49' 42" W at a distance of 33.95 feet to a 1/2-inch iron rod set for corner, 18) N 12° 49′ 42" E for a distance of 50.04 feet to a 1/2-inch iron rod set for the Point of Curvature of a curve to the left,
- 19) 36.26 feet along the arc of said curve having a central angle of 83 06' 21", a radius of 25.00 feet, a tangent of 22.16 feet and long chord begring N 58° 51' 18" E at a distance of 33.17 feet to a 1/2-inch iron rod set for the Point of Reverse Curvature. 20) 96.01 feet along the arc of said curve having a central angle of 11° 27' 38", a radius of 480.00 feet, a tangent of 48.17 feet and
- long chord bearing N 23° 01' 56" E at a distance of 95.85 feet to a 1/2-inch iron rod set for the Point of Tangency, 21) N 28° 45' 45" E for a distance of 88.57 feet to a 1/2-inch iron rod set for an exterior ell corner of this tract, 22) S 61° 14' 15" E for a distance of 60.00 feet to a 1/2—inch iron rod set for the Point of Curvature of a curve to the right,
- 23) 39.27 feet along the arc of said curve having a central angle of 90° 00' 00", a radius of 25.00 feet, a tangent of 25.00 feet and long
- chord bearing N 73° 45' 45" E at a distance of 35.36 feet to a 1/2—inch iron rod set for the Point of Tangency, 24) S 61° 14' 15" E for a distance of 43.84 feet to a 1/2-inch iron rod set for the Point of Curvature of a curve to the left,
- 25) 87.91 feet along the arc of said curve having a central angle of 81° 14' 36", a radius of 62.00 feet, a tangent of 53.18 feet and long chord bearing N 78° 08' 27" E at a distance of 80.73 feet to a 1/2-inch iron rod set for the Point of Tangency,
- 26) N 37° 31' 09" E for a distance of 145.59 feet to a 1/2-inch iron rod set for the Point of Curvature of a curve to the left, 27) 19.86 feet along the arc of said curve having a central angle of 09° 57' 57", a radius of 114.18 feet, a tangent of 9.96 feet and long
- chord bearing N 33° 44' 44" E at a distance of 19.84 feet to a 1/2-inch iron rod set for the Point of Tangency, 28) N 28° 45' 45" E for a distance of 400.64 feet to a 1/2-inch iron rod set for the Point of Curvature of a curve to the left,
- 29) 48.40 feet along the arc of said curve having a central angle of 44° 43' 23", a radius of 62.00 feet, a tangent of 25.51 feet and long
- chord bearing N 06° 24' 04" E at a distance of 47.18 feet to a 1/2-inch iron rod set for corner, 30) N 76° 03' 48" E for a distance of 73.06 feet to a 1/2-inch iron rod set for an interior corner of this tract,
- 31) N 14° 47' 36" W for a distance of 180.11 feet to a 1/2-inch iron rod set for the Point of Curvature of a curve to the left,
- 32) 92.77 feet along the arc of said curve having a central angle of 25° 18' 39", a radius of 210.00 feet, a tangent of 47.15 feet and long chord bearing S 86° 30' 52" E at a distance of 92.02 feet to a 1/2-inch iron rod set for the Point of Reverse Curvature, 33) 36.86 feet in a //clockwise//right//counterclockwise// direction along the arc of a curve having a central angle of 84° 28' 03", a radius of 25.00 feet, a tangent of 22.70 feet and long chord bearing S 56° 56' 10" E at a distance of 33.61 feet to a 1/2-inch iron
- 34) N 75° 17' 51" E for a distance of 50.00 feet to a 1/2-inch iron rod set for an interior ell corner of this tract,
- 35) N 14° 42' 09" W for a distance of 5.53 feet to a 1/2-inch iron rod set for the Point of Curvature of a curve to the right, 36) 36.75 feet along the arc of said curve having a central angle of 84° 13' 47", a radius of 25.00 feet, a tangent of 22.60 feet and long
- chord bearing N 27° 24' 45" E at a distance of 33.53 feet to a 1/2-inch iron rod set for the Point of Tangency, and 37) N 69° 31' 35" E for a distance of 87.96 feet to the POINT OF BEGINNING and containing 13.958 acres of land.

CERTIFICATE OF OWNERSHIP AND DEDICATION

STATE OF TEXAS COUNTY OF BRAZOS

We, <u>SE Investments</u>, owner and developer of the land shown on this plat, being all of the tract of land as conveyed to me in the Official Records of Brazos County in Volume 15803, Page 221 and whose name is subscribed hereto, hereby dedicate to the use of the public forever, all streets, alleys parks, water courses, drains, easements, and public places shown hereon for the purposes identified.

STATE OF TEXAS COUNTY OF BRAZOS

Before me, the undersigned authority, on this day personally appeared __, known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same for the purpose stated. Given under my hand and seal on this _____ day of _____

Notary Public, Brazos County, Texas

APPROVAL OF PLANNING AND ZONING COMMISSION

Chairman of the Planning and Zoning Commission of the City of Bryan, State of Texas, hereby certify that the attached plat was duly filed for approval with the Planning and Zoning Commission of the City of Bryan on the ____ day of ____ 20_____ and same was duly approved on the ____ day of ____, 20____ by said Commission.

Chairman, Planning and Zoning Commission

CERTIFICATION BY THE COUNTY CLERK

(STATE OF TEXAS) (COUNTY OF BRAZOS)

I, Karen McQueen, County Clerk, in and for said County, do hereby certify that this plat together with its certificates of authentication was filed for record in my office the _____ day of ______, 20__ the Official Records of Brazos County, Texas in Volume _____

County Clerk, Brazos County, Texas

CERTIFICATION OF THE SURVEYOR

STATE OF TEXAS COUNTY OF BRAZOS

I, Gregory Hopcus, Registered Professional Land Surveyor No. 6047, in the State of Texas, hereby certify that this plat is true and correct and was prepared from an actual survey of the property and that property markers and monuments were placed under my supervision on the ground, and that the metes and bounds describing said subdivision will describe a closed

Gregory Hopcus, R.P.L.S. No. 6047

APPROVAL OF THE CITY ENGINEER

I, _____, the undersigned, City Engineer of the City of Bryan, hereby certify that this plat is in compliance with the appropriate codes and ordinances of the City of Bryan and was approved on the ____, day of _____, 20_____

City Engineer, Bryan, Texas

APPROVAL OF THE CITY PLANNER

the undersigned, City Planner and/or designated Secretary of the Planning & Zoning Commission of the City of Bryan, hereby certify that this plat is in compliance with the appropriate codes and ordinances of the City of Bryan and was approved on the _____, 20__

City Planner, Bryan, Texas

Basis of Bearing: The bearing system is Grid North, Texas State Plane Coordinate System, Central Zone, NAD83 per GPS observation.

- 2. According to the Flood Insurance Rate Maps for Brazos County, Texas and Incorporated Areas, Map Number 48041C0195E, effective May 16, 2012, this property is not located in a Special Flood Hazard Area.
- Land Use: 72 residential lots. Zoning: Residential District - 5000 (RD-5).
- Right—of—Way Acreage: 3.434 ac.
- Water and Electricity will be served by the City of Bryan. A Homeowners Association shall be established with direct responsibility to, and controlled by, the property owners involved to provide for operation, repair and maintenance of all common area, private drainage easement, the private storm water detention facilities which are part of this subdivision. The City of Bryan shall not be responsible for any operation, repair or maintenance of these areas.

8. All minimum setbacks shall be in accordance with the City of Bryan Code o

- Ordinances.
- 9. All sidewalks are to be concrete pavement. 10. Where electric facilities are installed, BTU has the right to install, operate, relocate, construct, reconstruct, add to, maintain, inspect, patrol, enlarge, repair, remove and replace said facilities, upon, over, under, and across the property included in the P.U.E. and the right of egress and ingress on property adjacent
- to the P.U.E. to access electrical facilities. 11. Streets will be asphalt with concrete aprons. Sidewalks and Trails will be concrete payement. All sidewalks are to be 5' width. The 60' right-of-way width for Pagosa Springs Drive along with the 10' P.U.E. and P.A.E. on each side of the street is intended to accommodate a future expansion of the street from Local to Major Collector Street.
- 12. Ordinance No. 2468 abandoned a 0.96 acre tract of public right-of-way within the boundary of this project. This area to be incorporated into this project via
- 13. 3.52 acres of the subject property was rezoned to Residential District 5000 (RD-5) on February 7, 2023, by City Council, Ordinance No. 2614. 14. Unless otherwise indicated, all distances shown along curves are arc distances.
- 15. Except where otherwise indicated, 1/2-inch iron rods are set at each lot corner: ● - 1/2" Iron Rod Found (CM) O - 1/2" Iron Rod Set
- 16. Abbreviations:
- B.S.I. By Separate Instrument
 - P.U.E. Public Utility Easement T.D.E. – Temporary Drainage Easement

CM - Controlling Monument

P.A.E. — Public Access Easement
P.O.B. — Point of Beginning
P.O.C. — Point of Commencement

FINAL PLAT

LOTS 1-25, BLOCK 5 LOTS 1-6, BLOCK 7

LOTS 1-20, BLOCK 6 LOTS 1-13, BLOCK 8 LOTS 1-5, BLOCK 9 LOTS 1-3, BLOCK 10

PAGOSA SPRINGS SUBDIVISION PHASE 2

BEING A REPLAT OF PART OF CALLED 47.72 ACRES TRACT ONE (8.778 ACRES) & PART OF CALLED 4.399 ACRES TRACT THREE (0.621 ACRE) RECORDED IN VOLUME 15803, PAGE 221, LOTS 10-30, BLOCK 7, MILTON DARWIN'S SUBDIVISION NO. 2 RECORDED IN VOLUME 122, PAGE 101 AND 0.12 ACRES OF ABANDONED PUBLIC ALLEY RIGHT-OF-WAY, 0.84 ACRES OF ABANDONED PUBLIC STREET

> 13.958 ACRES STEPHEN F. AUSTIN LEAGUE NO. 9. A-62 BRYAN, BRAZOS COUNTY, TEXAS

> > JUNE, 2023

SCALE: 1" = 50'

RIGHT-OF-WAY FOR MARSHALL AVENUE

Owners: SE Investments, LLC P.O. Box 138 Kurten, Texas 77862 979—690—7711

5

5

OF 3 SHEETS

(979) 693-3838

Texas Firm Registration No. 10103300 McClure & Browne Engineering/Surveying, Inc. 1008 Woodcreek Dr., Suite 103 College Station, Texas 77845